


Notification (ATCMs)

PLEASE TAKE NOTICE that the requirements of the following Airborne Toxic Control Measures (ATCMs) are enforceable by the MDAQMD as local district rules pursuant to the provisions of California Health & Safety Code §39666.

- (a) 17 California Code of Regulations §93102, “Hexavalent Chromium Airborne Toxic Control Measure for Chrome Plating and Chromic Acid Anodizing Operations.” 
- (b) 17 California Code of Regulations §93103 “Regulation for Chromate Treated Cooling Towers.”
- (c) 17 California Code of Regulations §93104 “Dioxins Airborne Toxic Control Measure – Medical Waste Incinerators”.
- (d) 17 California Code of Regulations §93106 “Asbestos Airborne Toxic Control Measure – Asbestos-Containing Serpentine”.
- (e) 17 California Code of Regulations §93107 “Airborne Toxic Control Measure for Emissions of Toxic Metals from Non-Ferrous Metal Melting.”
- (f) 17 California Code of Regulations §93108 “Ethylene Oxide Airborne Toxic Control Measure – Part 1 - Non-Commercial Sterilizers and Aerators and Commercial Sterilizers Using Less Than 2,000 Pounds of Ethylene Oxide per 12 Consecutive Months” and §93108.5 “Ethylene Oxide Airborne Toxic Control Measure - Part 2 - Commercial Sterilizers and Aerators Using 2,000 Pounds or More of Ethylene Oxide per 12 Consecutive Months”.
- (g) 17 California Code of Regulations §93109, “Perchloroethylene Airborne Toxic Control Measure – Dry Cleaning Operations”.
- (h) 17 California Code of Regulations §93110, “Environmental Training Program for Perchloroethylene Dry Cleaning Operators”.
- (i) 17 California Code of Regulations §93112 “Hexavalent Chromium and Cadmium Airborne Toxic Control Measure – Motor Vehicle and Mobile Equipment Coatings”.

PLEASE ALSO TAKE NOTICE that pursuant to the provisions of California Health & Safety Code §39666(d) the MDAQMD has adopted equally effective or more stringent control measures for the following ATCMs as contained in the rules listed below:

- (a) MDAQMD Rules 461 - Gasoline Transfer and Dispensing, 462 - Organic Liquid Loading and 463 - Storage of Organic Liquids contain equally effective or more stringent control measures as those found in 17 California Code of Regulations §93101, “Benzene Airborne Toxic Control Measure, Retail Service Stations.”

Copies of the California Code of Regulations referenced herein may be obtained on-line at <http://www.arb.ca.gov/toxics/atcm.htm> or by contacting the MDAQMD at the address below:

MDAQMD, Air Toxics Program
14306 Park Avenue
Victorville, CA 92392-2310

Specific Questions Regarding this *Notification* may be directed to:

Air Toxics Program Coordinator Mr. Richard Wales (760) 245-1661 ext. 1803